



PATENT

I hereby certify that on the date specified below, this correspondence is being deposited with the United States Postal Service as first-class mail in an envelope addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

February 8, 2006
Date

Carolyn L. Ross
Carolyn L. Ross

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | | |
|-------------|---|----------------------|-----------|
| Appl. No. : | 10/738,916 | Confirmation No. : | 8363 |
| Applicant : | Clifford W. Turnbull | | |
| Filed : | December 16, 2003 | Attorney Docket No.: | 501326.01 |
| Art Unit : | 3752 | Customer No. : | 27,076 |
| Examiner : | Steven J. Ganey | | |
| Title : | FLUID LEVEL SENSING APPARATUS AND METHOD FOR A SPRAY APPLICATOR | | |

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE UNDER 37 C.F.R. § 1.111

Sir:

Applicant acknowledges receipt of the Office Action dated September 20, 2005, and herewith petitions the Commissioner for Patents under 37 C.F.R. § 1.136(a)(3) for a two-month extension of time for filing this response from December 20, 2005, to February 20, 2006. Submitted herewith is a check in the amount of \$1000, which includes \$225 to cover the cost of the extension. Any deficiency or overpayment should be charged or credited to Deposit Account No. 50-1266.

Please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks begin on page 9 of this paper.

02/14/2006 HGUTEMAI 00000009 10738916

01 FC:2201
02 FC:2202
03 FC:2252

400.00 OP
375.00 OP
225.00 OP